This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- · ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS A
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



Interactive Computer System

FIG. 1






FIG. 2




User Interface Modeling System (UIMS)

FIG. 3A

Sheet 4 of 20



F16.3B






FIG. 3C




FIG. 3D




FIG. 4

Sheet 7 of 20




FIG. 5




FIG. 6

Sheet 9 of 20




FIG. 7B




FIG. 7D




FIG. 7E




FIG. 8

	<
▼ Model Explorer	_
Oplions ~	
Model_1 ☐ Module 1-Employee Data ☐ Page 1 ☐ Page 2 ☐ Page 3 ☐ Page 3 ☐ Iview 1 - Employee Benefits ☐ Iview 2 - Employee Details ☐ Input Form ☐ Output Form ☐ Personal Data Grid ☐ Personal Data Grid ☐ Personal Data Grid ☐ Personal Catalata ☐ Page 2 ☐ Page 2 ☐ Page 3 ☐	
Related tasks Search Model Open Another Model	

FIG. 17

902

Fide Help ☐ Ø: ☐ : ?		SAP GUIMACHINE
A Section with		→ Get Started × Open an existing model St M1 St M2
	Name: M3 Create in: http://yuvalg.tvp.sap.corp/gmdev_sp0/	Logn: Duth: Password:
	© Create a blank model © Copy an existing model SAP Portal User Interface Model EPS lot L	Additional models Look for Other Models on the Web Create a Blank Model Copy an Existing Model
	Owner: public v Possword: Ok (Cancel)	
		A. D. Barrella Co.

FIG. 9

Sheet 13 of 20





FIG. 10 A

Steve Y. Cho, Reg. No. 44,612, (650) 326-2400 Titled: Modeling System for Graphic User Interface

Inventor: Yuval Gilboa Filed: November 12, 2003 Dckt. No. 017900-003810US

Sheet 14 of 20



F16. 10B

de Edit Gewich Model Build Tools Stat Window Help	SAP GUEVAVIA
BE BE BE OF + + + 4 @ 6 HE PD 1	
TOO TO THE RESERVE TO	Hernera Properties
2 M3-BANK	Options -
Design (Layout / Preview / Source	⊟ Bekavior
emi version="1.0" encoding="Windows-1255">>	Hame: BANK
IView id="AADEBC" name="BANK" vin_vidth="750" pos="185 195" author="public" modified="13/08/2003 11:45:26"> 📑	Isolation level:
1 <5 APFunction Id="ADAEOZ" name="Bank Getdetail" sap_system="ADIT" sap_function="BANK_GETDETAIL" pos	User agent)
LLI <port anchor="T30" id="AEAEPO" pos="30 0" rale="INPUT" riame="Input" spec="DT_OBJ_tH"></port>	HTTP method:
11.1 < Field name "SANKCOUNTRY" type "10" add"R "de" "0" req="true" desc="Bank Country Key" len="37/>	Display
1.1.1 effeld narne="BANKKEY" type="10" add="R" idx="1" :eq="bue" desc="Bank Key" ien="13"/>	Mew Caphon:
	Mew Width: Wide
□ «/Port»	Graphic Symbol
12 (Port id="AEAEP1" name="Bank Address" role="BANK_ADDRESS" spec="DT_OBJ_OUT" anchor="R15" pos="120	
12.1 <field idv="0" len="60" name="BANK_NAME" sdd="R" type="10"></field>	Background:
122 <field add="R" idn="1" len="3" neme="REGION" type="10"></field>	Cimension:
123 <field add="R" idx="2" len="35" name="STREET" type="10"></field>	☐ Documentation
12.4 <field add="R" idx="3" len="35" name="CITY" type="10"></field>	Descriptions
125 <field add="R" id='="4"' lan="11" name="SWIFT_CODE" type="10"></field>	Hyperink:
126 <field add="R" idx="5" len="2" name="BANK_GROUP" type="10"></field>	Notes
127 <field add="R" idx="6" len="1" name="POBK_CURAC" type="10"></field>	[3] [mail: mail: m
12.6 <field add="R" idx="7" len="15" name="BANK_MO" type="10"></field>	Author: public
12.3 <field add="R" fen="16" id='="8"' name="POST_BANK" type="10"></field>	Modified on: 13/08/2003 11:45:26
12.10 <fiold add="R" idx="9" len="40" name="BANK_BRANCH" type="10"></fiold>	SUB ID: AADEBC
12:11 <field add="R" idx="10" len="10" name="ADDR_NO" type="10"></field>	18 1
1.2 <td>J8 </td>	J8
13 <port anchor="R25" id-"aeaep2"="" name="Bank Detail" por="120 25" role="BANK_DETAIL" spec="DT_OBJ_OUT"></port>	1 <u>3</u>
13.1 <field add="R" idx="0" name="CREAT_DATE" type="11"></field>	[4] }
132 <field add="R" lan="12" ldx="1" name="CREATOR" type="10"></field>	11 1
1.33 <field add="R" idx="2" lan="4" name="METHOD" type="10"></field>	1
13.4 <field add="R" fen="3" id='=3"' name="FORMATTING" type="10"></field>	111
1.35 <field add="R" id='="1"/' name="BANK_DELETE" type="10"></field>	111
	f1 I
Liz «/Port»	44 t
14 <port anchor="R35" id="AEAEP3" pos="120 35" riame="Return" role="RETURN" space"dt_obj_out"=""></port>	11 i
1.4.1 <field add="R" id='="0"' len="1" name="TYPE" type="10"></field>	3
1,42 <field "<="" add="R" fen="20" idx="1" name="TIDT" td="" type="10"><td>111</td></field>	111
1.4.3 <field_name="humber" add="R" idx="2" len="3" type="10"></field_name="humber">	111
1.4.4 <field "message"="" add="R" idx="3" len="220" narrow="" type="10"></field>	
1.45 <field add="R" name="LOG_NO" tdx="4" ten="20" type="10"></field>	31
The state of the s	11
	13




FIG. 11A

Sheet 16 of 20

1202 SAP GUIMACHINE File Edit Search Model Build Tools SDK Window Help A (10, 10) (a) (a) (b) (b) (b) 〕 泛★: □ \$ ⑤ ↓ № ⑥ □ ♀ · ◆ → △ ⑥ 「 A № 9 ♀ ② ! ? Layout Styles 100% @ M3 → BANK → OFR O III Design Layout Preview Source Container Style **DO** BANK Search Form Bank Ctry: Max Rows: Bank Ctry Bank Detail Form Bank Address Form ☐ Toolbar ☑ Scrollbars ☑ Selectable ☑ Navigable Bank Name: ☑ Titlebar Creat Date: Addr No: Bank Branch: Formatting: Banks List **□** -ı **措 680 x 192** 16, 96 **扌Ⅎ:ずャず: 宮頭お井: 与甘: 炎炎鹽: |||| ⊙ ⊙**

F16.12

1302 File Edit Search Model Build Tools SEX Window Help - Model Debugger M3 . BANK . OFR 9111 Connect to SAP System Design Layout Preview Source introdiguma dvo.sap.com 🔻 Portal: BANK [Running] System: ADIT Logout . Search Form Submit Off ⊚ On = Events Monitor Max Rows: Bank Ctry: US 25 Choose event... 1) EVENT: SELECT (SearchForm)
2) EVENT: SUBMIT (SearchForm)
3) INIT: BankGelist, Bankslist, Ba Bank Name Banks List DMT: Bank-Gettet, Bank-Gettet, Bank-Gettetal, Baik
 MAP: Seard-Form -> Bank-Gettetist:Input
 SAPFLINC: Bank-Gettet
 COPY: Bank-Gettetish-List -> Bank-List
 PENAL: Bank-Gettetish-List -> Bank-List
 MAP: Bank-Gettetish-Residetal-Input
 SAPFLINC: Bank-Gettetal-Input
 SAPFLINC: Bank-Gettetal-Input
 COPY: Bank-Gettetal-IBank-Detal -> Bank-Detal
 COPY: Bank-Gettetal-IBank-Detal -> Bank-Detal
 EVAL: Bank-Detal-Form
 Id Ovnet
 Bank-Detal-Form Bank Key Bank Ctry Chicago First Union Bank & Trust 083000108 US New York 123123123 Citibank us New York City Chase Manhattan Bank 123445678 us Philadelphia Commerce Bank บร 12345678 Marlton PNC us 123456780 New York Chase Manahattan 123456784 The state of the s मसर अभा Bank Detail Form Bank Address Form KLINGBEIL Creator: Bank Name: Citibank Creat Date: -25.01.1996 Addr No: Formatting: Bank Branch: Time Square Method: City: New York Run Step Clear

F16.13

42 Haling

Bank Dalete:

Pobk Curac:


H = 1 59 50

Edit Search Model Build Tools SDK Window Help	# O : A # m O D : O			Will book in	SAP GUIMACHI
			Criman I de	T. of on Y.	Stat Oly
M3 » BANK »			100 1 0FR 9	1	Properties Options
esign / Layout / Preview / Source		3 4 4 7	ige site	- Denavie	
Figure chafter for residence of description (1997) New dataADEBC interes"BANK" rengedbte (750) boys	"105 105" " mublic" modifie	na="13/08/2003 11:45	5:26">	11: clation lay	BANK
1 SSAPFURR BON JE "ADAEBD" norme = "Bank Getlist" s 11 Port id="AEAEBE" name = "Return" site = "IRPUT" 12 Port id="AEAEBE" name = "Return" site = "RETUI" 13 < Port id="AEAEBG" name = "Bank List" role = "BA 2	ap_system="ADIT" sap_function=" spec="DT_oBl_IN" fields="{BANK_ IN" spec="DT_oBl_OUT" fields="{NK_ INK_LIST" spec="DT_SET_OUT" fields ds="{BANK_CTRY:{add:V',type:'10" ds="{BANK_CTRY:{add:V',type:'10" UI_OB_IN" anchor="L15" pos="0"; sc="UI_OB_OUT" anchor="R15" pos ANK_CTRY:{mep:'@BANK_CTRY}, MY55 170" spec="GRID_VIEW" box_s" UI_SET_IN" anchor="T-40" pos="1" ec="UI_SET_OUT" anchor="R25" pos ID{AEAEBM}' spec="DT_FLOW" field ID{AEAEBM}' spec="DT_FLOW" field	BADJ_BANK_GETLIST" (CTRY: (type: '10', add: 'TYPE: (type: '10', add: 'TYPE: (type: '10', add: 'R'); = "(BANK_CTRY: (type: '1', show: 'Y', pos: '104 16 15" fields="()"/> pos="100 15"/> LAX_ROWS: (map: '@M' cylo="2" box_features cylo="120 25" field:="() ds="()" pos="-65 -85"	pos="245 45" az (*,idx:10",req:'th (*,idx:10",lent'1), a:'10",add:'R',idx (*,size:'120 16"),l (*,size:'120 16"),l (*,size:'120 16"),l (*,size:'120 16"),l	Mew Caple Mew Widt Graphle Graphle Begroun Dimensions B Decum Hyperink Notes: Author:	od: :: Wide Symbol d: :: Intalies
6 «SAPFunction id="ADAEOZ" nama="Bank Getdetai 6.1 «Port id="AEAEPD" name="Bank address" role 6.2 «Port id="AEAEPD" name="Bank Address" role 6.3 «Port id="AEAEPD" name="Bank Detail" role=" 6.4 «Port id="AEAEPD" name="Bank Detail" role="RETU 7/SAPFunction> 7 «DataMap id="AFAEPA" name="select" src="#ID[AI 8 «FormView id="ACAEPD" name="Bank Address Foi 8.1 «Port id="AEAEPB" name="in" role="Il" spc=" 8.2 «Port id="AEAEPB" name="in" role="Il" spc=" 8.2 «Port id="AEAEPB" name="in" role="Il" spc="#ID 9 «ComView id="AEAEPB" name="Bank Detail Fom 10.1 «Port id="AEAEPB" name="Bank Detail Fom 10.1 «Port id="AEAEPB" name="in" role="Il" spc="#ID 10.2 «Port id="AEAEPB" name="in" role="Il" spc="#ID" 10.2 «Port id="AEAEPB" name="in" role="Il" spc="#ID" 10.2 «Port id="AEAEPB" name="out" role="OUT" sp	II sap_systema"ADIT" sap_function "BANK_ADDRESS" spec="OT_OB]_OUT RANK_DETAIL" spec="DT_OB]_OUT RANK_DETAIL" spec="DT_OB]_OUT RANK_DETAIL" spec="DT_OB]_OUT RANK_DETAIL" spec="DT_OB]_OUT RANK_DETAIL" spec="DT_OB]_OUT RANK_DETAIL" spec="FORM_V "ADDIT SPEC="DT_FORM_V "UI_OB]_IN" anchor="L15" pos="O ID[AEAEP6]" spec="DT_FLOW" poss "T_pos="620 295" spec="FORM_VI "UI_OB]_IN" anchor="L15" pos="O	n="BAPI_BANK_GETDET COUNTRY: (type:110', a OUT field:="(BANK_N "field:="(CREAT_DATI TYPE: (type:110', add:'f DT_MAP" pos="80 0" fi IEW" box_style="2" bo 15"/> os="100 15"/> ="45 0" field:="()"/> EW" box_style="2" box 0 15" fields="()"/>	rAIL' por="435 g ddi'R',idx''0',req AME: (type:'12',adi e: (type:'11',add: R',idx:'0',len:'1'), ields="(BANKCOL ex_features="TTL c_features="TTL	dc c r	

Steve Y. Cho, Reg. No. 44,612, (650) 326-2400 Titled: Modeling System for Graphic User Interface Inventor: Yuval Gilboa

Filed: November 12, 2003 Dckt. No. 017900-003810US

Sheet 19 of 20



F16.15

d - → · ② ③ △ □	earch 🖫 Favorites 😵 Mei	da (3) (2) - 43 (2) - 63 (2) ad			
ss (2) http://guimi.tlvp.sap.corp/s			→ ∂≪	Links (E) Storyboar	d (E) GMLibrary
D,	My Pages Ponal Ad	min Content Admin Port	al Monitoring System C	Searconfiguration Suppo	Welcome oren shoh h Personalize: Page Portal Log rt
	Welco	omel • Banks View • UF	R Sample Page • Page	560	
ANK					
earch Form		et 1744	AND THE COLUMN		
Bank Ctry: us	Max Rows: 2	·	Submit		
Nank Ctry B US 0 US 1 US 1 US 1 US 1	qnk Key 83000108 23123123 23445678 2345678 23456780 23456784		Chicago New York New York City Philadelphia Martton New York		
Bank Address Form 👌 🚉 🔻		Bank Detail Form		भूनि । ध्रीतिकसभ्य	
Bank Name: Citibank Addr No: Bank Branch: Time Square		Creat Date: 25.01.19 Formatting:			
City: New York Pobk Curac:		Method: Bank Delete:			

F16.16